



# Impact of Malaria on Lifestyle and Agricultural Practices among Rice Farmers in South-West Nigeria

**Oluseun Babatunde Oladoyinbo <sup>a++\*</sup>**

<sup>a</sup> Oyo State College of Agriculture and Technology, Igboora, Nigeria.

**Author's contribution**

*The sole author designed, analysed, interpreted and prepared the manuscript.*

**Article Information**

DOI: <https://doi.org/10.9734/ajaees/2024/v42i62500>

**Open Peer Review History:**

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/119284>

**Systematic Review Article**

**Received: 21/04/2024**

**Accepted: 25/06/2024**

**Published: 29/06/2024**

## ABSTRACT

Malaria is a major issue in the tropics, causing lost work hours, reduced production quality, decreased income, and even death. This study explored how malaria impacts the lifestyle and farming activities of rice farmers in Southwest Nigeria. Data were collected from 277 rice farmers through structured interviews and focus group discussions, focusing on socioeconomic characteristics, malaria incidence frequency, treatment methods, vector control practices, lifestyle changes due to malaria, and perceived effects on farming activities. Analyses included Pearson Product Moment Correlation (PPMC), Chi-square analysis, Analysis of Variance, and Linear and Logistic regression. Findings revealed that 59.93% of farmers were male, 87.00% were married, and 33.50% had secondary education. The average age was 48, with an annual income of N557,813. About 40.07% reported monthly malaria incidents, and 71.12% used patent medicine stores for treatment. Many farmers (62.82%) killed mosquitoes manually, and 73.65% said malaria delayed rice processing. Most identified mosquito bites (92.42%), work stress

<sup>++</sup> Agricultural Researcher;

\*Corresponding author: E-mail: [oboladoyinbo@oyscotech.edu.ng](mailto:oboladoyinbo@oyscotech.edu.ng), [seunoladoyinbo@gmail.com](mailto:seunoladoyinbo@gmail.com).

**Cite as:** Oladoyinbo, Oluseun Babatunde. 2024. "Impact of Malaria on Lifestyle and Agricultural Practices Among Rice Farmers in South-West Nigeria". *Asian Journal of Agricultural Extension, Economics & Sociology* 42 (6):373-86. <https://doi.org/10.9734/ajaees/2024/v42i62500>.

(90.25%), and socioeconomic status (89.89%) as predisposing factors. Lifestyle changes due to malaria included skipping meals (85.92%) and self-medication (81.95%).

Significant relationships were found between age and lifestyle changes (PPMC,  $p < 0.05$ ). Chi-square analysis showed significant associations between sex, marital status, education level, and rice cultivation type with lifestyle changes due to malaria. Linear regression indicated that marital status, household size, income, and farm size significantly affected perceived malaria impacts on farming activities. Logistic regression revealed a significant relationship between lifestyle changes and malaria carrier status. The study concluded that malaria significantly influences the lifestyle of rice farmers, recommending campaigns to discourage self-medication through media, healthcare personnel, and extension officers.

*Keywords: Malaria; rice farmers; Nigeria; vector control; treatment methods; and farming activities.*

## 1. INTRODUCTION

### 1.1 Background to the Study

Health, as defined by the World Health Organization, is a dynamic state of complete physical, mental, spiritual, and social well-being, not merely the absence of disease or infirmity [1]. It involves a balance where an individual or a group's capacity to cope with life's circumstances is optimal [2]. Health encompasses anatomical, physiological, and psychological integrity, the ability to perform valued roles within family, work, and community, handle stress, feel well-being, and freedom from the risk of disease and untimely death [3]. This implies that health is a relative state where one can function well physically, mentally, socially, and spiritually, expressing their full potential within their environment.

Deviations from this state indicate 'ill health.' Ill health reduces the time available for productive activities, increases the cost of care and disease prevention, reduces leisure time, and causes discomfort due to sickness [4]. Conversely, good health increases productivity, provides opportunities for better-paying jobs, and extends working lives [5]. Agriculture and health are significantly interconnected. Key health conditions and diseases can arise from agricultural practices, impacting farmers [6]. For instance, developing water resources for agriculture affects health through interactions with the environment, income, and labour [7]. While irrigation and water storage can enhance health by increasing food yields and incomes, they can also create conditions conducive to the propagation of disease vectors, increasing the transmission of diseases such as malaria, schistosomiasis, and Japanese encephalitis [4].

### 1.2 Statement of the Problem

The severe impact of various illnesses on farmers in the production process is significant. In developing countries, agriculture is characterized by widespread productivity decline [8]. Despite efforts to achieve self-sufficiency in food production, productivity decline persists [9]. This decline is attributed to the health status of agricultural producers, which affects their labour supply and productivity [10]. The opportunity cost incurred when farmers are impaired is substantial [11].

Malaria, a significant global health issue, affects productivity and development. One-fifth of the world population is at risk, with over 300 million cases annually [12]. In Nigeria, malaria hinders development by causing death and reducing productivity in all sectors, including agriculture [13]. Malaria reduces Nigeria's GNP annually, with a significant portion of household income spent on malaria control and treatment [14]. The reduced efficacy of commonly used drugs for malaria treatment increases malaria control costs, impacting agricultural workers' income [15]. Malaria and agriculture are intimately related. Agricultural environments provide suitable conditions for disease vectors, that causing malaria in humans [16]. Malaria impedes development through effects on fertility, population growth, savings and investment, worker productivity, absenteeism, premature mortality, and medical costs [17]. The impact of malaria on smallholders is devastating, affecting land cultivation, cropping patterns, and farm productivity [18].

Efforts to curb malaria in Nigeria are hindered by inadequate sanitation legislation, illiteracy, poverty, poor environmental health, and insufficient mosquito bed-net usage [19]. Consequently, malaria reduction has been

slow [19]. Malaria causes loss of agricultural labor due to illness and death, family members' time and energy in caring for patients, and loss of farm knowledge and skills if an experienced farmer dies [20]. Malaria accounts for a significant portion of public health expenditure. It negatively impacts the annual gross national product, with a substantial reduction in household income attributed to malaria control and treatment [21].

A critical link between malaria and agriculture is irrigation [19]. While irrigation can boost agricultural productivity in Africa, it also provides breeding sites for mosquitoes that transmit malaria [22]. Rice, a staple crop in sub-Saharan Africa, relies on flooded paddies, creating breeding sites for a principal malaria vector [23]. Malaria presents serious consequences for small-scale rice farmers, including loss of work hours, poor quality production, low output, loss of income, and even death [20]. Preventing malaria resurgence is essential to maintain an efficient agricultural workforce. This study aims to answer the following research questions:

1. What is the frequency of perceived malaria incidences among rice farmers in Southwest Nigeria?
2. What are the sources through which rice farmers seek health attention for malaria treatment?
3. What malaria vector control practices do rice farmers utilize?
4. What are the perceived effects of malaria incidences on rice production?
5. What factors predispose rice farmers to malaria?
6. What lifestyle habits do rice farmers adopt due to malaria incidence?
7. What is the malaria/plasmodium carrier status of rice farmers in Southwest Nigeria?

### **1.3 Hypotheses of the Study**

1. There is no significant relationship between selected socio-economic characteristics of rice farmers and their lifestyle habits influenced by malaria incidences.

2. There is no significant relationship between selected socio-economic characteristics of rice farmers and their perceived effects of malaria incidences on rice farming activities.
3. There is no significant relationship between rice farmers' lifestyle habits influenced by malaria incidences and their malaria/plasmodium carrier status.
4. There is no significant difference in the malaria/plasmodium carrier status of rice farmers across study locations.

## **2. LITERATURE REVIEW**

Malaria remains one of the most significant public health challenges worldwide, especially in tropical and subtropical regions where it continues to inflict substantial morbidity and mortality [24]. This literature review seeks to explore the extensive body of knowledge surrounding malaria, examining its biological underpinnings, historical impact, socio-economic implications, and the diverse strategies employed to control and eradicate the disease. By delving into various scholarly articles, historical documents, and recent studies, this review will highlight the evolution of malaria research and control efforts, elucidate the complexities of its transmission dynamics, and discuss ongoing challenges and advancements in the fight against this pervasive disease. The goal is to provide a comprehensive overview that not only encapsulates the current state of malaria research but also identifies gaps in knowledge and opportunities for future investigation. Through this synthesis, the review will contribute to a deeper understanding of malaria's global impact and the multifaceted approaches needed to combat it effectively.

**Introduction to Malaria:** Malaria is a severe infectious disease transmitted by Anopheles mosquitoes and caused by Plasmodium parasites, with the most affected regions being tropical and subtropical areas across the globe [14]. This disease presents with varying symptoms, primarily fever and headache, escalating to severe complications such as coma or death in critical cases [25]. Among the different species of Plasmodium, *P. falciparum* and *P. vivax* are notable for their lethality [14]. Effective strategies for prevention and control include insecticide-treated nets, indoor residual

spraying, and therapeutic antimalarial medications [9].

**Historical Context of Malaria:** Malaria has been recognized and described since ancient times, with references found in Chinese and Indian writings and even in the works of Hippocrates [26]. The connection between malaria and swampy environments was noted by ancient civilizations, leading to efforts like the Roman drainage projects to combat the disease [27]. The discovery of the malaria parasite by Alphonse Laveran in the 1880s, and the subsequent elucidation of its transmission through mosquitoes by Sir Ronald Ross, marked a pivotal shift in understanding and controlling malaria, focusing on the mosquito vector [28].

**Malaria's Impact on Human History and Socioeconomics:** Throughout history, malaria has significantly impacted human settlements, military operations, and economic expansions, particularly in tropical regions where it is most prevalent [29]. The disease has also influenced human evolution, with genetic adaptations such as the sickle cell trait providing resistance to malaria, illustrating a direct link between the disease and genetic selection [30]. Economically, malaria imposes substantial costs through direct healthcare expenses and indirect impacts such as lost productivity and inhibited economic development [31].

**Control and Eradication Efforts:** Malaria control has evolved from early treatments with quinine to modern therapies including artemisinin-based combination therapies (ACTs) [32]. Despite successes in eradication in temperate regions through aggressive mosquito control and public health campaigns, challenges remain in tropical areas due to the mosquito's breeding habitats and the socio-economic environment [33]. The emergence of drug-resistant strains of *Plasmodium* calls for continuous research and development of new pharmaceuticals [34].

**Modern Challenges and Integrated Control Strategies:** The contemporary approach to malaria control is multifaceted, involving public health interventions, vector management, and community education to reduce the incidence of the disease [35]. Innovations such as genetically modified mosquitoes and environmental management strategies are being tested to disrupt the transmission cycle [36]. Collaboration among international health bodies, governments,

and non-governmental organizations is critical for resource allocation and effective implementation of malaria programs, especially in resource-limited settings [37].

**Economic and Social Implications:** The socio-economic burden of malaria is disproportionately borne by poorer nations where it exacerbates the cycle of poverty and disease [38]. The economic impacts are multifaceted, including direct costs related to healthcare and prevention, and indirect costs associated with reduced work capacity and economic productivity [39]. Malaria control programs need to be economically sustainable and culturally sensitive to address the specific needs of affected populations effectively [40].

**Future Prospects and Global Health Goals:** Significant global health efforts are directed towards reducing the malaria burden with ultimate goals set for substantial reduction or eradication [41]. The path to achieving these objectives includes continued innovation in disease management, sustained funding for health initiatives, and global cooperation [42]. Goals such as those outlined in the Millennium Development Goals and subsequent Sustainable Development Goals highlight the international commitment to combating malaria [43].

### 3. METHODOLOGY

The research focuses on the southwestern region of Nigeria, an area known for its diverse geography and cultural richness. This part of Nigeria is home to six states: Ekiti, Lagos, Ogun, Ondo, Osun, and Oyo, predominantly Yoruba-speaking with a variety of dialects. The climate in this region varies with two main seasons: the rainy season from March to October and the dry season from November to February, during which the Harmattan winds bring cold, dry air from the northern deserts [44]. The region encompasses an area of 76,852 square kilometers and supports a population of approximately 25.2 million [45]. The research parameters involve geographic, demographic, climate, socio-economic, health, and agricultural data. They are measured using a combination of administrative records, census data, meteorological data, surveys, interviews, medical records, and statistical analysis. This comprehensive approach ensures a detailed understanding of the interplay between agriculture, health, and socio-economic factors in the study area.

Ekiti State, established in 1996 from the old Ondo State, encompasses 16 local government areas with Ado-Ekiti as its capital [46]. The state is recognized for its academic contributions, earning the nickname 'Fountain of Knowledge' [47]. Historically, Ekiti was independent before the British introduced indirect rule [48]. The state is characterized by its upland terrain, rising over 250 meters above sea level and covering 6,353 square kilometers [49]. It is known for its agricultural activities which employ about 75% of its populace in the production of both food and cash crops [33]. (add these in review)

Ogun State, bordering Lagos to the south and the Republic of Benin to the west, was formed in 1976 [10]. Its capital, Abeokuta, is also the largest city. The state spans 16,980.55 square kilometers and is dubbed the "Gateway State [27]." As of 2006, it had a population of about 3.73 million. Ogun State is significant for its varied landscapes and numerous local government areas [50] (add these in review).

Lagos State, the smallest in terms of area but the most populous, was created in 1967 [51]. It was initially the nation's capital until 1991 when Abuja became the new capital [35]. Despite this, Lagos remains the financial hub of Nigeria. The state, with a 2015 estimated population of about 16 million, is bordered by Ogun State and the Atlantic Ocean [36]. It is a cultural melting pot, attracting people from all over Nigeria and beyond [36,52] (add these in review).

The study specifically targets rice farmers in these states, utilizing a multi-stage sampling procedure to select participants. Initially, Ekiti, Ogun, and Lagos were chosen due to their prominent roles in rice production. From these, key rice-growing local government areas were selected. A subset of farmers was then chosen from the Rice Farmers' Association of Nigeria (RIFAN) registry in these areas, totaling 277 farmers for the study. Explain methodology of selection of respondents

Data was collected using an interview guide designed to understand various aspects of rice farming and the impact of malaria. The guide was validated for both face and content by experts in Agricultural Extension and Rural Development, ensuring the removal of ambiguous items and clarity in the presentation.

The reliability (reliability should be done based on some statistical method) of the research

instruments was tested through a method involving repeated testing among a small group of farmers outside the main study area, confirming the consistency of the tools used.

In assessing the impact of malaria on rice farming, several factors were considered, such as the frequency of malaria incidents among farmers, the sources of health care during malaria outbreaks, and the control practices utilized against malaria vectors. The study also examined how malaria affects the farmers' productivity and lifestyle, including their work habits and social activities.

Finally, the research aimed to evaluate the relationship between socio-economic characteristics of rice farmers, their malaria experiences, and their status as malaria carriers. Various statistical tools were employed to analyze the data collected, including correlation tests, regression analyses, and variance analyses to explore the different hypotheses posed by the study.

This comprehensive approach aims to provide a detailed understanding of the interplay between agriculture, health, and socio-economic factors in the lives of rice farmers in southwest Nigeria, offering insights that could inform future policies and interventions in similar contexts.

#### **4. RESULTS AND DISCUSSION**

The socio-economic profile of rice farmers in a certain study area highlights important demographic and economic characteristics crucial for understanding the dynamics of agricultural production [40]. An analysis of data from Table 1 reveals that a significant portion of these farmers, approximately 56.68%, are aged between 31 and 45 years, with an average age of 47.6 years. Furthermore, about 35.74% are older than 50 years. This demographic suggests that the majority of rice farmers are robust and capable, well-suited to manage the physical demands of various production stages [37].

Gender distribution within this community shows that 59.93% of the rice farmers are male, while 40.07% are female, indicating a substantial involvement of women in rice farming. This reflects a progressive shift towards gender inclusivity in this field, challenging traditional norms where men predominantly led agricultural activities.

Marital status also plays a role in the socio-economic landscape, with 87% of the farmers being married and only 5.78% being single. This high percentage of married farmers underscores a mature and potentially more stable demographic, which might translate into a responsible approach not only towards family matters but also in their professional and community engagements.

Economically, rice farming is just one aspect of their livelihood. A significant number (65.70%) engage in other forms of crop production, while 20.58% participate in trading, indicating a tendency towards income diversification. This strategy is likely adopted as a means to achieve greater food and financial security.

In terms of household size, most rice farmers have families ranging from three to eleven members, with an average household size of seven. This suggests that larger family units might also contribute labour to farming activities, a factor that enhances productivity and provides a buffer against labour shortages.

Educational attainment among rice farmers varies, with 35.74% having completed primary education, and a smaller fraction, 7.22%, reaching tertiary education levels. The data also shows that 22.02% of the farmers have no formal education, indicating a gap that could potentially

affect the adoption of modern farming techniques and business practices.

Financially, the annual income for most farmers (63.54%) ranges between N100,000 and N700,000, with a mean annual income of N557,813. Despite this, there remains a need for further economic diversification to enhance financial stability, given that only a small portion (13.36%) reaches the higher income bracket of N500,001 to N700,000.

Land use patterns also reflect the scale of operations, with most farmers (62.82%) cultivating between 1 and 4 hectares. This scale is manageable and likely tailored to the resources available to them. Furthermore, 62.09% dedicate a similar portion of land exclusively to rice cultivation, indicating a focused approach to this crop. However, only a very small group (2.17%) operates on more than 12 hectares, pointing to limited access to larger land holdings for many farmers.

In terms of cultivation practices, 72.56% of farmers engage in lowland rice cultivation, which is more common than upland cultivation, practiced by only 10.47%. This preference is largely influenced by the geographical conditions of their respective areas, which dictate the suitability of lowland over upland farming.

**Table 1. Personal characteristics of the respondents (n = 277)**

<b>Variables</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Mean</b>
<b>Age</b>			
<31	21	7.58	
31 – 35	26	9.39	
36 – 40	47	16.97	
41 – 45	42	15.16	
46 – 50	42	15.16	
>50	99	35.74	48
<b>Sex</b>			
Male	166	59.93	
Female	111	40.07	
<b>Marital Status</b>			
Single	16	5.78	
Married	241	87.00	
Widowed	18	6.50	
Separated	1	0.36	
Divorced	1	0.36	
<b>Income Generating Activities</b>			
Apprentices	24	8.66	
Trading	57	20.58	
Civil servant	6	2.17	
Animal husbandry	8	2.89	

<b>Variables</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Mean</b>
Crop production	182	65.70	
<b>Household Size</b>			7
<3	23	8.30	
3 – 5	62	22.38	
6 – 8	97	35.02	
9 – 11	34	12.27	
12 – 14	13	4.69	
>14	48	17.33	

*Source: Field Survey, 2017*

**Table 2. Personal Characteristics of the Respondents (n=277)**

<b>Variables</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Mean</b>
<b>Educational Level Attained</b>			
No Formal Education	61	22.02	
Adult Education	4	1.44	
Primary Education	99	35.74	
Secondary Education	93	33.57	
Tertiary Education	20	7.22	
<b>Estimated Income (₦)</b>			557,813
<100,000	4	1.44	
100,000 – 300,000	87	31.41	
300,001 – 500,000	89	32.13	
500,001 – 700,000	37	13.36	
>700,000	60	21.65	
<b>Farm Size (ha)</b>			5.5
<1	7	2.53	
1 – 4	174	62.82	
5 – 8	62	22.38	
9 – 12	13	4.69	
>12	21	7.58	
<b>Farm Size for Rice Cultivation (ha)</b>			3
<1	12	4.33	
1 – 4	227	81.95	
5 – 8	23	8.30	
9 – 12	9	3.25	
>12	6	2.17	
<b>Nature of Rice Cultivated</b>			
Lowland Rice	201	72.56	
Upland Rice	47	16.97	
Both	29	10.47	

*Source: Field Survey, 2017*

**Table 3. Effect of Malaria Incidence on Rice Yield (in tonnes per hectare) (n=277)**

<b>Average Tonnes</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Mean</b>
<b>Without Malaria</b>			
<2	46	16.16	3.51
2 – 5	195	70.40	
6 – 9	29	10.47	
>10	7	2.53	
<b>With Malaria</b>			2.94
<2	63	22.73	
2 – 5	191	68.94	
6 – 9	22	7.93	
>10	1	0.36	

*Source: Field Survey, 2017*

**Table 4. Quantitative Effect of Malaria Incidence as Experienced by Rice Farmers (n=277)**

<b>Variables</b>	<b>Frequency</b>	<b>Percentage</b>	<b>Mean</b>
<b>No of Times Rice Farmers Experience Malaria Last Production Season</b>			
<1	49	17.69	2.50
2-4	219	79.06	
>4	9	3.25	
<b>Cost of Drugs for Malaria Treatment (₦)</b>			
<1,000	3	1.08	4,294.72
3,001-5,000	154	55.59	
3,001-5,000	86	31.05	
5,001-7,000	25	9.03	
>7,001	9	3.25	
<b>Transportation Cost of Procuring Drugs for Each Malaria Episode (₦)</b>			747.60
<500	67	24.19	4.00
501-800	121	43.68	
801-1,100	46	16.61	
1,101-1,400	10	3.61	
>1,400	33	11.91	
<b>Days Spent on Treatment at Each Episode</b>			
<2	13	4.69	4.00
2-4	228	82.31	
5-7	34	12.27	
>7	2	0.72	
<b>Cost Incurred in Malaria Prevention (₦)</b>			
<1,000	51	18.41	1,812.10
1,000-2,000	199	71.84	
3,001-5,000	14	5.05	
5,001-7,000	8	2.89	
>7,001	5	1.81	
<b>Days of Incapacitation by Rice Farmers</b>			6.00
<5	81	29.24	6.00
5-8	177	63.90	
9-12	9	3.25	
>13	10	3.61	

Source: Field survey,2017



#### **4.1 Effect of Malaria Incidence on Rice yield (in Tonnes per Hectare)**

The findings in Table 2 show that majority (70.40%) of rice farmers harvested between 2 and 5 tonnes /hectare of rice with mean of 3.51 tonnes/ ha when not down with malaria whereas some (22.73%) of them harvested less than 2 tonnes/ha when down with malaria with mean of 2.94 tonnes/ha. This by implication means that there is an influence of malaria incidence on rice productivity. Oluwatayo [11] corroborated this assertion and opined that the poor agricultural production is greatly influenced by the situation of endemic malaria in West and Central Africa. One of the responses of the respondents is presented below:

#### **4.2 Quantitative Effect of Malaria Incidence as experienced by Rice Farmers**

The findings in Table 3 present various impacts of malaria incidence on rice farming activities. A majority (79.06%) of rice farmers experienced malaria two to four times during the last production season, with an average of three times. This indicates that rice farmers typically encounter malaria three times from land clearing to marketing in a production season.

Over half (55.59%) of rice farmers spent between N1,001 and N3,000 on malaria treatment drugs, with an average cost of N4,294.72. Most (60.29%) spent between N500 and N1,100 on transportation to procure drugs, with a mean cost of N747.60. A majority (82.31%) spent two to four days treating malaria per episode, averaging four days. Additionally, most (71.84%) spent between N1,000 and N3,000 on malaria prevention, with an average cost of N1,812.10. Most (63.90%) were incapacitated for five to eight days per malaria episode, averaging six days, while a few (3.61%) were incapacitated for over thirteen days.

### **5. CONCLUSION**

The study aimed to assess the impact of malaria on the lifestyle and agricultural practices among rice farmers in Southwest Nigeria, specifically in Ekiti, Ogun, and Lagos states. Using a multistage sampling technique, data were collected from 277 rice farmers through structured interviews and focus group discussions. The analysis employed various statistical methods, including Pearson Product Moment Correlation (PPMC), Chi-square tests, linear regression, logistic

regression, and analysis of variance (ANOVA).

The findings revealed a significant prevalence of malaria among the farmers, with 71.48% experiencing malaria incidences between once a month and once every three months, and only 10.11% reporting annual occurrences. The primary sources of malaria treatment were local chemists, utilized by 71.12% of farmers, with mosquito control methods being predominantly primitive, such as physical means (62.82%). The study highlighted a considerable impact of malaria on rice farming activities, particularly causing delays in processing and affecting market availability, with 73.65% of farmers identifying malaria as a major disruptive factor.

Demographically, 59.93% of the farmers were male, with an average age of 48 years and 33.50% having attained secondary education. The average household size ranged from 3 to 11 persons, and the majority reported annual incomes between ₦100,000 and ₦700,000, with a mean of ₦557,813. Productivity was significantly affected, as evidenced by the reduction in rice yield from 3.51 tonnes per hectare when healthy to 2.94 tonnes per hectare during illness. The socioeconomic factors, including household size, gender, marital status, education, and farming type, showed significant correlations with lifestyle changes due to malaria.

The study found no significant correlation between the farmers' age, income, or farm size and the lifestyle impacts of malaria. Additionally, 35.38% of the farmers tested positive for malaria/plasmodium carrier status, emphasizing the ongoing health challenges. Common lifestyle adaptations among the farmers included self-medication and meal skipping due to loss of appetite during malaria episodes.

Based on these findings, several recommendations were proposed:

1. Diversification of agricultural activities to enhance farmer incomes and improve access to malaria prevention resources.
2. Improved educational efforts to inform farmers about the benefits of education in modern agricultural practices.
3. Expansion of malaria prevention programs targeting farmers specifically, providing free resources and support.

4. Enhanced healthcare infrastructure in farming communities to reduce costs and improve access to treatment and preventive care.

These measures aim to mitigate the impact of malaria on rice farmers, improve their quality of life, and increase productivity.

By addressing these issues through targeted interventions, the adverse effects of malaria on rice farming in Southwest Nigeria can be significantly reduced, contributing to better health outcomes and enhanced agricultural productivity.

#### DISCLAIMER (ARTIFICIAL INTELLIGENCE)

I Oluseun Oladoyinbo hereby declare that NO generative AI technologies such as Large Language Models (ChatGPT, COPILOT, etc) and text-to-image generators have been used during writing or editing of manuscripts.

#### COMPETING INTERESTS

Author has declared that no competing interests exist.

#### REFERENCES

1. Benin S, Nkonya E, Okecho G, Randriamamonjy J, Kato E, Lubade G, Kyotalimye M, et al. Impact evaluation of and return investment of the national agricultural advisory services (NAADS) Program of Uganda. Washington, DC: International Food Policy Research Institute. 2008;39
2. Olaniyi OO. Best practices to encourage girls' education in Maiha local government area of Adamawa State in Nigeria. The University of Arkansas Clinton School of Public Service (Research Gate). 2022. Available: <https://doi.org/10.13140/RG.2.2.26144.25606>
3. Braun A, Jiggins J, Roling N, Vandenberg H, Snijders P. A Global Survey and Review of Farmer Field School Experiences. Report prepared for the International Livestock Research Institute. Wageningen, Netherlands: Endelea; 2006. Available: [www.share4dev.info/kb/documents/1880.pdf](http://www.share4dev.info/kb/documents/1880.pdf)
4. Braun A, Masai M, Khisa G, Khaamala H. —Farmer Field School Networks in Western Kenya. In Chain Empowerment: Supporting African Farmers to Develop Markets, 94–99. Amsterdam; Arusha, Tanzania; Nairobi, Kenya: Royal Tropical Institute; Faida Market Link; International Institute of Rural Reconstruction; 2006. Available: [www.share4dev.info/kb/documents/2500.pdf](http://www.share4dev.info/kb/documents/2500.pdf).
5. Mariyono J. —The impact of integrated pest management technology on insecticide use in soybean farming in Java, Indonesia: Two Models of Demand for Insecticides. *Asian Journal of Agriculture and Development*. 2008;5(1):42–56.
6. N'Guessan R, Corbel V, Akogbéto M, Rowland M. —Reduced efficacy of insecticide-treated nets and indoor residual spraying for Malaria Control in Pyrethroid Resistance Area, Benin. *Emerging Infectious Diseases*. 2007;13(2):199–206. Available: [www.ncbi.nlm.nih.gov/pubmed/17479880](http://www.ncbi.nlm.nih.gov/pubmed/17479880).
7. Ndenga BA, Simbauni JA, Mbugi JP, Githeko AK, Fillinger U. Productivity of malaria vectors from different habitat types in the western Kenya highlands. *Plos One*. 2011;6(4):e19473. DOI: 10.1371/journal.pone.0019473
8. Okoth J, Braun A, Delve R, Khamaala H, Khisa G, Thomas J. —The emergence of farmer field schools networks in East Africa. Paper presented at Research Workshop on Collective Action and Market Access for Smallholders, Cali, Colombia; 2006.
9. Oladepo O, Tona GO, Oshiname FO, Titiloye MA. Malaria knowledge and agricultural practices that promote mosquito breeding in two rural farming communities in Oyo State, Nigeria. *Malaria Journal*. 2010;9:9. Available: <http://www.malariajournal.com/content/9/1/91>
10. Oluwalana EO, Ogunsusi OO. Impact of malaria on productivity and coping strategies among small-scale Gari processors in Odeda Local Government Area of Ogun state, Nigeria. *African Journals Online*. 2007;1(2).
11. Oluwatayo IB. Socio economic burden of malaria on productivity of rice farmers in rural southwest Nigeria. *Mediterranean Journal of Social Sciences*. Rome-Italy. MCSER Publishing. 2014;5(15).
12. Omlin FX, Carlson JC, Ogbunugafor CB, Hassanali A. *Anopheles gambiae* exploits

- the treehole ecosystem in Western Kenya: A New Urban Malaria Risk? *American Journal of Tropical Medicine and Hygiene*. 2007;77(Suppl 6):264–
13. Omotayo AM, Dipeolu MA, Ekpo UF. Health consequences of lifestyle changes among settled Fulani pastoralists in South-Western Nigeria. Ibadan. John Archers Publishers; 2013.
  14. Omumbo JA, Guerra CA, Hay SI, Snow RW. The influence of Urbanisation on measures of plasmodium falciparum infection prevalence in East Africa. *Acta Tropica*. 2005;93:11–21. Available: [www.ncbi.nlm.nih.gov/pmc/articles/PMC3191363/](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3191363/).
  15. Patz JA, Olson SH. Malaria risk and temperature: Influences from global climate change and local land use practices. *Proceedings of the National Academy of Sciences*. 2006;103(15): 5635–5636.
  16. Peden D. Is There a Doctor on the Farm? Managing agro-ecosystems for better human health. Paper presented at International Centers Week of the Consultative Group for International Agricultural Research (CGIAR), Sonning, UK; 2000. Available: <http://idl-bnc.idrc.ca/dspace/bitstream/10625/20333/1/116327.pdf>
  17. Sachs J, Malaney P. The economies and social burden of malaria. In *Insight review article. cantar for international development*, John F. thennedy school of Government, Henvard University; 2010.
  18. Salihu OM, Sanni NA. Malaria Burden and the effectiveness of Malaria control paradox. *Med Vet Entomol*. 2013;15: 1-11. DOI: 10.10461j 1365-2915. 2001. 00279X. Savvides L. Guidelines to improving valley swamps (fadamas). A procedure and approach followed in Bida Agricultural Development Project. Bida, Nigeria, BADP. 1981;64.
  19. Senzanje A, Hackenitz E, Chitima M. Malaria and irrigated agriculture in Zimbabwe: impact assessment, costing and quantification under field conditions. (E.Boelee, F. Konradsen, and W.Van der Hoek, Eds.) *Malaria in irrigated Agriculture*. 2002;15-23.
  20. Ugonnia JC, Olaniyi OO, Olaniyi FG, Arigbabu AA, Oladoyinbo TO. Towards sustainable IT infrastructure: Integrating green computing with data warehouse and big data technologies to enhance efficiency and environmental responsibility. *Journal of Engineering Research and Reports*. 2024;26(5):247–261. Available: <https://doi.org/10.9734/jerr/2024/v26i51151>.
  21. Oladoyinbo OB, Olabimisi AD, Ummuna MO, Sadiq MM, Ademuyiwa BT. (2022). Influence of portable water supply on rural household head lifestyle in Ibarapa North Local Government Area of Oyo State. *TOPS Journal of Science and Engineering Focus*. 2022;7(1):10-21. Available: <https://doi.org/10.13140/RG.2.2.2.1941.86249>
  22. Oose MO, Oke FO, Oladoyinbo OB, Adetari O, Adesina OM. Organizational citizenship behaviour and job performance of agro facilities in two universities offering agriculture: Does emotional intelligence matter. *Nigeria Agricultural Journal*. 2022; 53(1):6-13. Available: <https://doi.org/10.13140/RG.2.2.2.4563.30247>
  23. Olabimisi AD, Oladoyinbo OB, Ajuwon IO, Sulaimon OI, Taiwo AM, Awolola AA. (2022). Assessment of the present condition of rural infrastructural facilities on Maize Production in Oyo State. *Journal of Sustainable Development*. 2022;20(1):33-42. Available: <https://doi.org/10.13140/RG.2.2.1.8062.13122>
  24. Oladoyinbo OB, Olabimisi AD, Omotoso AB, Ajuwon IO, Sulaimon OI, Yekeen KA. Utilization of Integrated Farming System (IFS) among Urban Farmers in Ona Ara Local Government Area of Oyo State. *OYSCATECH Journal of Science and Agricultural Technology (OYSCATECH-JSAT)*. 2022;1(1):119-125. Available: <https://doi.org/10.13140/RG.2.2.1.1560.96008>
  25. Olabimisi AD, Oladoyinbo OB, Ajuwon IO, Sulaimon OI, Taiwo AM, Awolola AA. Perceived effects of rural-urban migration on arable crop production in Oyo/Iseyin agricultural zones, Oyo State, Nigeria. *Tops Journal of Science and Engineering Focus (TJSEF)*. 2021;6(1):47-57. Available: <https://doi.org/10.13140/RG.2.2.1.8586.41922>
  26. Raheem WK, Oladoyinbo OB, Adesina SE. Profitability analysis of broiler production in Oyo state, Nigeria. *Nigerian Journal of Agricultural and Development Economics*

- (NIJADE), Volume 10, Numbers. 2021;195 – 208.  
Available:<https://doi.org/10.13140/RG.2.2.3.0330.47042>
27. Oose O, Abiona BG, Oyekunle O, Oladoyinbo OB, Nwaodua DA. Utilization of google apps and employees' work performance in two tertiary institutions in Ogun state, Nigeria: Implications for organizational development Communication. *Nigerian Journal of Rural Sociology*. 2021;20(1), In-print.  
Available:<https://doi.org/10.13140/RG.2.2.3.0015.89767>
28. Oyediran WO, Omoare AM, Alaka FA, Shobowale AA, Oladoyinbo OB. Rural farmers' coping strategies to effects of climate change on watermelon Production in Igboora, Oyo State, Nigeria. *International Journal of Sustainable Agricultural Research*. 2018;5(2):19-26.  
Available:<https://doi.org/10.18488/journal.7.0.2018.52.19.26>
29. Adamu CO, Banmeke TOA, Takeet MI, Oladoyinbo OB. Influence of malaria incidences on lifestyle of rice farmers in South-West, Nigeria. *Nigerian Journal of Agricultural and Development Economics (NIJADE)*. 2018;8:112 – 124.  
Available:<https://doi.org/10.13140/RG.2.2.2.2466.15046>
30. Olabimisi AD, Oladoyinbo OB, Raheem WK, Ajuwon IO, Sulaimon OI. Assessment of information and communication usage among arable crop farmers in Ibarapa North Local Government Area of Oyo State. *Nigerian Journal of Agricultural and Development Economics (NIJADE)*. 2018; 8(1):53 – 62.  
Available:<https://doi.org/10.13140/RG.2.2.3.4629.63201>
31. Raheem WK, Oladoyinbo OB, Sadiq MM, Adisa JO, Aremu OI. Acceptability and consumption of wild lettuce among rural household members in Lagelu Local Government Area of Oyo State, Nigeria." *Nigerian Journal of Agricultural and Development Economics (NIJADE)*. 2018; 8(1):89 – 100.  
Available:<https://doi.org/10.13140/RG.2.2.3.0435.32808>
32. Raheem WK, Oladoyinbo OB, Olabimisi AD, Adeniran SB. Perception of rural household members on medicinal values of snails in Oyo east local government Area of Oyo State. *Abuja Journal of Sociological Studies*. 2018;5(2):311 – 327.  
Available:<https://doi.org/10.13140/RG.2.2.2.4982.73281>
33. Omisore OA, Oladoyinbo OB, Sadiq MM, Adeoye AS. Assessment of usage of indigenous family planning practices among rural nursing mothers in Ibarapa Central Local Government Area of Oyo State, Nigeria. *TOPS Journal of Science and Engineering Focus (TJSEF)*. 2016; 1(1):83-88.  
Available:<https://doi.org/10.13140/RG.2.2.1.0722.09924>
34. Raheem WK, Oladoyinbo OB, Adebayo OA, Popoola BO. Access and utilization of agricultural extension services by small ruminant farmers in Surulere Local Government Area of Oyo State, Nigeria. *TOPS Journal of Science and Engineering Focus (TJSEF)*. 2016;1(1):89-96.  
Available:<https://doi.org/10.13140/RG.2.2.2.8757.60641>
35. Ogunsola TO, Oladoyinbo OB, Sadiq MM, Popoola T, Alabi AF. Effect of malaria attack on arable crop farmers' productivity in Ibarapa central local Government Area of Oyo State, Nigeria. *LAUTECH Journal of Rural Research and Information*. 2015;10(1):41-50.  
Available:<https://doi.org/10.13140/RG.2.2.1.2399.82084>
36. Raheem WK, Adamu CO, Oladoyinbo OB, Odeyemi SA. The role of women farmers in attaining sustainable food security in ibarapa central Local Government Area of Oyo State, Nigeria. *Journal of Agriculture, Management and Technology (JAMTECH)*. 2015;1:253-260.  
Available:<https://doi.org/10.13140/RG.2.2.1.0197.81126>
37. Sadiq MM, Oyekunle O, Oladoyinbo OB, Oyelere GO, Ariwoola SA. Training needs of small scale rice growers on improved production technology in Obafemi/Owode Local Government of Ogun State, Nigeria. *Journal of Agriculture, Management and Technology (JAMTECH)*. 2015;1:245-252.  
Available:<https://doi.org/10.13140/RG.2.2.3.3685.91362>
38. Ariwoola SA, Sadiq MM, Oladoyinbo OB, Omisore OA. Assessment of the benefits of public tractor hiring services among arable crop farmers in Oyo State, Nigeria. *Journal of Agriculture, Management and Technology (JAMTECH)*. 2015;1:44-50.

- Available:<https://doi.org/10.13140/RG.2.2.2.9596.46726>
39. Ajayi ND, Ajayi SA, Oladoyinbo OB, Olaniyi OO. A review of literature on transferrin: Deciphering its complex mechanism in cellular iron regulation and clinical implications. *Asian Journal of Research in Infectious Diseases*. 2024; 15(1):9–23.  
Available:<https://doi.org/10.9734/ajrid/2024/v15i1321>
40. Oladoyinbo OB. Comprehensive synthesis and integrative review of agricultural dynamics in southwest Nigeria: Assessing economic viability, technological advances, and rural development approaches. *Asian Journal of Agricultural Extension, Economics and Sociology*. 2023;41(11): 312–328.  
Available:<https://doi.org/10.9734/ajaees/2023/v41i112288>
41. Olabanji SO, Oladoyinbo OB, Asonze CU, Oladoyinbo TO, Ajayi SA, Olaniyi OO. Effect of adopting AI to explore big data on personally identifiable information (PII) for financial and economic data transformation. *Asian Journal of Economics, Business and Accounting*. 2024;24(4):106–125.  
Available:<https://doi.org/10.9734/ajeba/2024/v24i41268>
42. Salami AA, Igwenagu UTI, Mesode CE, Olaniyi OO, Oladoyinbo OB. Beyond conventional threat defense: Implementing advanced threat modeling techniques, risk modeling frameworks and contingency planning in the healthcare sector for enhanced data security. *Journal of Engineering Research and Reports*. 2024; 26(5):304–323.  
Available:<https://doi.org/10.9734/jerr/2024/v26i51156>
43. Ajayi SA, Olaniyi OO, Oladoyinbo TO, Ajayi ND, Olaniyi FG. Sustainable sourcing of organic skincare ingredients: A critical analysis of ethical concerns and environmental implications. *Asian Journal of Advanced Research and Reports*. 2024;18(1):65–91.  
Available:<https://doi.org/10.9734/ajarr/2024/v18i1598>
44. Olaniyi OO, Omubo DS. The importance of COSO framework compliance in information technology auditing and enterprise resource management. *The International Journal of Innovative Research and Development*; 2023.  
Available:<https://doi.org/10.24940/ijird/2023/v12/i5/MAY23001>
45. Oyekunle O, Sadiq MM, Oladoyinbo OB, Ayansina SO, Oyeyinka RA. Adoption of agroforestry practices by farmers in Ogun State, Nigeria. *Journal of Agriculture, Management and Technology (JAMTECH)*. 2015;1. emotionla.  
Available:<https://doi.org/10.13140/RG.2.2.35468.49287>
46. Sadiq MM, Oyelere GO, Oladoyinbo OB. Effectiveness of video as a pathway for extension agents in disseminating rice cultivation practices in Ogun State. *Nigerian Journal of Rural Sociology*. 2015; 15(2):21.  
Available:<https://doi.org/10.13140/RG.2.2.18900.99208>
47. Ariwoola SA, Oladoyinbo OB. Effectiveness of the dissemination of improved farm technologies to farmers in Oyo State. *Journal of Sustainable Development*. 2014;11(1):52-58.  
Available:<https://doi.org/10.13140/RG.2.2.35887.92329>
48. Sadiq MM, Oladoyinbo OB, Ogunsola TO, Oyelere GO, Olagoke OO, Oluwafemi ZO. Effect of Climate Change on Arable Crop Farmers' Productivity in Ibarapa Central Local Government Area of Oyo State, Nigeria. *Journal of Biology, Agriculture and Healthcare*. 2013;3(16):25-30.  
Available:<https://doi.org/10.13140/RG.2.2.30854.75842>
49. Oladoyinbo OB, Ashimolowo OR, Sokoya GO, Sadiq MM, Ogunsola TO, Olabimisi AD. Factors affecting utilization of health care services by arable crop farmers in Oyo State, Nigeria. *International Journal of Applied Research and Technology*. 2013; 2(11):3-9.  
Available:<https://doi.org/10.13140/RG.2.2.32532.48009>
50. Oladoyinbo OB, Ashimolowo OR, Adeogun SO, Umunna MO, Sadiq MM, Ariwoola SA, Omisore OA. Analysis of arable crop farmers' utilization of unorthodox and orthodox healthcare services in Oyo State, Nigeria. *Journal of Biology, Agriculture and Healthcare*. 2013;3(20):64-74.  
Available:<https://doi.org/10.13140/RG.2.2.14706.68806>
51. Olaoye OO, Quadri FU, Olaniyi OO. Examining the role of trade on the relationship between environmental quality

- and energy consumption: Insights from Sub-Saharan Africa. *Journal of Economics, Management and Trade*. 2024;30(6):16–35.  
Available:<https://doi.org/10.9734/jemt/2024/v30i61211>
52. Olabimisi AD, Ajuwon IO, Oladoyinbo OB, Sulaimon OI, Awolola AA, Taiwo AF. Assessment of credit acquisition and repayment performance on watermelon farmers in Ibarapa North Local Government Area of Oyo State. *Sustainable Livelihoods and Development Network for Africa Journal*. 2023;21(1): 102-172. Special Edition, June 2023. ISSN-1597-4510, Available:<https://doi.org/10.13140/RG.2.2.34524.77446>

**Disclaimer/Publisher’s Note:** The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of the publisher and/or the editor(s). This publisher and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.

---

© Copyright (2024): Author(s). The licensee is the journal publisher. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

*Peer-review history:*  
*The peer review history for this paper can be accessed here:*  
<https://www.sdiarticle5.com/review-history/119284>